


# SAW Delay-Line 881D252



## 1. Features

- CDMA RF Delay-Line
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

## 2. Package Dimension



### Package : D7420

Dimensions shown are nominal in millimeters  
 Base : Fe(SPCC), Au plating over Ni plated  
 Cap : Cu & Cr Alloy, Ni Plated  
 Termination : Kovar, Au Plated

Pin Configuration	
17	Input
8	Output
2, 11	Ground
Others	Case ground

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	881D252	
		Rev. Date	2004-05-27	
		Rev.	ND1004-CS02	1/5

# SAW Delay-Line 881D252



## 3. Specifications

Fo = 881.5 MHz

Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	-	881.5	-
Insertion Loss	dB	-	30.0	35.0
3dB Bandwidth	MHz	45.0	61.0	-
30dB Bandwidth	MHz	-	105.0	120.0
Amplitude Ripple (Fo +/- 12.5 MHz)	dB	-	0.8	1.0
Group Delay Variation (Fo +/- 12.5 MHz)	nsec	-	50	300
Absolute Delay	usec	9.8	10.0	10.2
Ultimate Rejection	dB	-	35	-
Temperature Coefficient of Frequency	ppm/°C	-	-94	-

### Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	881D252	
		Rev. Date	2004-05-27	
		Rev.	ND1004-CS02	2/5

# SAW Delay-Line 881D252



## 4. Matching Schematic

( Actual matching values may vary due to PCB layout and parasitics )



$$L1 = L2 = 18 \text{ nH}$$

$$C1 = C2 = 18 \text{ pF}$$

## 5. Marking Configuration

ITF<sup>1)</sup> 04A001<sup>2)</sup>

881D252<sup>3)</sup>

1) Manufacturer name

2) Lot Number



3) Part Number

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	881D252	
		Rev. Date	2004-05-27	
		Rev.	ND1004-CS02	3/5

# SAW Delay-Line 881D252





## 6. Typical Performance ( at +25°C )



	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	881D252	
		Rev. Date	2004-05-27	
		Rev.	ND1004-CS02	4/5

# SAW Delay-Line 881D252



	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	881D252	
		Rev. Date	2004-05-27	
		Rev.	ND1004-CS02	5/5