


SAW Bandpass Filter 203317B



1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : D3825


Dimensions shown are nominal in millimeters

Base : Fe(SPCC), Au plating over Ni plated

Cap : Cu & Cr Alloy, Ni Plated

Termination : Kovar, Au Plated

Pin Configuration	
1	Input
6	Output
2, 5	Ground
Other	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203317B	
		Rev. Date	2004-04-28	
		Rev.	NI1021-CS03	1/5

SAW Bandpass Filter 203317B



3. Specifications

Fo = 71.25 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	71.2	71.25	71.3
Insertion Loss	dB	-	22.5	25.0
1dB Bandwidth	MHz	-	6.69	-
3dB Bandwidth	MHz	6.85	6.96	-
40dB Bandwidth	MHz	-	7.96	8.1
Amplitude Ripple (Fo +/- 3.125 MHz)	dB	-	0.7	1.0
Group Delay Variation (Fo +/- 3.125 MHz)	nsec	-	100	150
Absolute Delay	usec	-	3.6	-
Ultimate Rejection	dB	50	53	-
Temperature Coefficient of Frequency	ppm/°C	-	-94	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203317B	
		Rev. Date	2004-04-28	
		Rev.	NI1021-CS03	2/5

SAW Bandpass Filter 203317B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)




L1 = 56 nH

5. Marking Configuration

ITF¹⁾04A001²⁾
203317B³⁾



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203317B	
		Rev. Date	2004-04-28	
		Rev.	NI1021-CS03	3/5

SAW Bandpass Filter 203317B



6. Typical Performance (at +25°C)







ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No. 203317B

Rev. Date 2004-04-28

Rev. NI1021-CS03 4/5

SAW Bandpass Filter 203317B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	203317B	
Rev. Date	2004-04-28	
Rev.	NI1021-CS03	5/5