


SAW Bandpass Filter 203323B



1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)


2. Package Dimension



Package : D3512

Dimensions shown are nominal in millimeters
 Base : Fe(SPCC), Au plating over Ni plated
 Cap : Cu & Cr Alloy, Ni Plated
 Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203323B	
		Rev. Date	2004-06-18	
		Rev.	NI2048-CS02	1/5

SAW Bandpass Filter 203323B



3. Specifications

Fo = 75.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	74.94	75.0	75.06
Insertion Loss	dB	-	24.5	26.0
1dB Bandwidth	MHz	19.6	19.75	-
3dB Bandwidth	MHz	19.8	20.05	-
40dB Bandwidth	MHz	-	21.2	21.3
Amplitude Ripple (Fo +/- 9.75 MHz)	dB	-	0.8	1.0
Group Delay Variation (Fo +/- 9.75 MHz)	nsec	-	40	100
Absolute Delay	usec	-	2.71	-
Ultimate Rejection	dB	50	52	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203323B	
		Rev. Date	2004-06-18	
		Rev.	NI2048-CS02	2/5

SAW Bandpass Filter 203323B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)




$$L1 = L2 = 100 \text{ nH}$$

$$C1 = 24 \text{ pF}, \quad C2 = 22 \text{ pF}$$

5. Marking Configuration

ITF¹⁾ 04A001²⁾
203323B³⁾



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203323B	
		Rev. Date	2004-06-18	
		Rev.	NI2048-CS02	3/5

SAW Bandpass Filter 203323B



6. Typical Performance (at +25°C)







ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No. 203323B

Rev. Date 2004-06-18

Rev. NI2048-CS02 4/5

SAW Bandpass Filter 203323B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	203323B	
Rev. Date	2004-06-18	
Rev.	NI2048-CS02	5/5