


SAW Bandpass Filter 203646B



1. Features

- IF bandpass filter
- High attenuation
- Single-ended operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : D3512

Dimensions shown are nominal in millimeters
 Base : Fe(SPCC), Au plating over Ni plated
 Cap : Cu & Cr Alloy, Ni Plated
 Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203646B	
		Rev. Date	2004-06-21	
		Rev.	NI2050-CS02	1/5

SAW Bandpass Filter 203646B



3. Specifications

Fo = 180.5 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	180.4	180.5	180.6
Insertion Loss	dB	-	26.0	27.0
1dB Bandwidth	MHz	-	9.25	-
3dB Bandwidth	MHz	9.4	9.5	-
40dB Bandwidth	MHz	-	10.48	10.5
Amplitude Ripple (Fo +/- 4.375 MHz)	dB	-	0.8	1.1
Group Delay Variation (Fo +/- 4.375 MHz)	nsec	-	100	150
Absolute Delay	usec	-	3.42	-
Ultimate Rejection	dB	50	52	-
Temperature Coefficient of Frequency	ppm/°C	-	-23	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203646B	
		Rev. Date	2004-06-21	
		Rev.	NI2050-CS02	2/5

SAW Bandpass Filter 203646B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



$L1 = 27 \text{ nH}, \quad L2 = 18 \text{ nH}$

$C1 = C2 = 27 \text{ pF}$

5. Marking Configuration

ITF¹⁾ 04A001²⁾

203646B³⁾

1) Manufacturer name

2) Lot Number



3) Part Number

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	203646B	
		Rev. Date	2004-06-21	
		Rev.	NI2050-CS02	3/5

SAW Bandpass Filter 203646B







6. Typical Performance (at +25°C)



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	203646B	
Rev. Date	2004-06-21	
Rev.	NI2050-CS02	4/5

SAW Bandpass Filter 203646B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	203646B	
Rev. Date	2004-06-21	
Rev.	NI2050-CS02	5/5