


# SAW Bandpass Filter 250904B



## 1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)


## 2. Package Dimension



### Package : D2712

Dimensions shown are nominal in millimeters  
 Base : Fe(SPCC), Au plating over Ni plated  
 Cap : Cu & Cr Alloy, Ni Plated  
 Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	250904B	
		Rev. Date	2005-02-12	
		Rev.	NM5001-CS01	1/5

# SAW Bandpass Filter 250904B



## 3. Specifications

Fo = 140.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	139.85	140.0	140.15
Insertion Loss	dB	-	24.5	26.0
1dB Bandwidth	MHz	-	9.15	-
3dB Bandwidth	MHz	9.2	9.4	-
40dB Bandwidth	MHz	-	10.48	10.6
Amplitude Ripple (Fo +/- 4.4 MHz)	dB	-	0.7	1.0
Group Delay Variation (Fo +/- 4.4 MHz)	nsec	-	70	150
Absolute Delay	usec	-	4.45	-
Ultimate Rejection	dB	50	55	-
Temperature Coefficient of Frequency	ppm/°C	-	-23	-

### Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	250904B	
		Rev. Date	2005-02-12	
		Rev.	NM5001-CS01	2/5

# SAW Bandpass Filter 250904B



## 4. Matching Schematic

( Actual matching values may vary due to PCB layout and parasitics )



$L1 = 33\text{nH}$ ,  $L2 = 33\text{nH}$

$C1 = 68\text{pF}$ ,  $C2 = 39\text{pF}$

## 5. Marking Configuration


ITF<sup>1)</sup> 05A001<sup>2)</sup>

250904B<sup>3)</sup>

1) Manufacturer name

2) Lot Number



3) Part Number

 Integrated Technology Future	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	250904B	
		Rev. Date	2005-02-12	
		Rev.	NM5001-CS01	3/5

# SAW Bandpass Filter 250904B







## 6. Typical Performance ( at +25°C )



**ITF Co., Ltd.**  
 102-901, Bucheon Technopark 364,  
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,  
 Gyeonggi-Do, Korea 421-809

Part No.	250904B	
Rev. Date	2005-02-12	
Rev.	NM5001-CS01	4/5

# SAW Bandpass Filter 250904B



**ITF Co., Ltd.**  
 102-901, Bucheon Technopark 364,  
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,  
 Gyeonggi-Do, Korea 421-809

Part No.	250904B	
Rev. Date	2005-02-12	
Rev.	NM5001-CS01	5/5