


# SAW Bandpass Filter 252101B



## 1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

## 2. Package Dimension



### Package : D2012


Dimensions shown are nominal in millimeters

Base : Fe(SPCC), Au plating over Ni plated

Cap : Cu & Cr Alloy, Ni Plated

Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	252101B	
		Rev. Date	2006-06-22	
		Rev.	NM6018-CS01	1/5

# SAW Bandpass Filter 252101B



## 3. Specifications

Fo = 160.0 MHz

Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	-	160.0	-
Insertion Loss	dB	-	24.0	26.0
1dB Bandwidth	MHz	-	20.85	-
3dB Bandwidth	MHz	21.0	21.4	-
40dB Bandwidth	MHz	-	23.75	24.0
Amplitude Ripple (Fo +/- 9.75 MHz)	dB	-	0.6	1.0
Group Delay Variation (Fo +/- 9.75 MHz)	nsec	-	40	100
Absolute Delay	usec	-	1.44	-
Ultimate Rejection	dB	50	55	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

### Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	252101B	
		Rev. Date	2006-06-22	
		Rev.	NM6018-CS01	2/5

# SAW Bandpass Filter 252101B



## 4. Matching Schematic

( Actual matching values may vary due to PCB layout and parasitics )



L1 = 18nH, L2 = 27nH

C1 = 20pF, C2 = 20PF

## 5. Marking Configuration

ITF<sup>1)</sup> 06A001<sup>2)</sup>  
252101B<sup>3)</sup>



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	252101B	
		Rev. Date	2006-06-22	
		Rev.	NM6018-CS01	3/5

# SAW Bandpass Filter 252101B







## 6. Typical Performance ( at +25°C )



	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	252101B	
		Rev. Date	2006-06-22	
		Rev.	NM6018-CS01	4/5

# SAW Bandpass Filter 252101B



**ITF Co., Ltd.**  
 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809

Part No. 252101B

Rev. Date 2006-06-22

Rev. NM6018-CS01 5/5