


SAW Bandpass Filter 252906B



1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : D3512

Dimensions shown are nominal in millimeters
 Base : Fe(SPCC), Au plating over Ni plated
 Cap : Cu & Cr Alloy, Ni Plated
 Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	252906B	
		Rev. Date	2009-07-10	
		Rev.	NM8084-CS03	1/5

SAW Bandpass Filter 252906B



3. Specifications

Fo = 125.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	-	125.0	-
Insertion Loss	dB	-	30.1	31.5
1dB Bandwidth	MHz	29.15	29.24	-
3dB Bandwidth	MHz	-	29.45	-
50dB Bandwidth	MHz	-	30.44	30.55
Amplitude Ripple (fo ± 14.52 MHz)	dB	-	0.75	1.5
Group Delay Variation (fo ± 14.52 MHz)	nsec	-	40	100
Absolute Delay	usec	-	2.91	-
Ultimate Rejection	dB	55	60	-
Input Power	dBm	-	-	10
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	252906B	
		Rev. Date	2009-07-10	
		Rev.	NM8084-CS03	2/5

SAW Bandpass Filter 252906B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



$$L1 = L2 = 39\text{nH}$$

$$C1 = C2 = 20\text{pF}$$


5. Marking Configuration

ITF¹⁾09A001²⁾

252906B³⁾

125⁴⁾-29.2M⁵⁾



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number
- 4) Center frequency
- 5) 1dB-Bandwidth

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	252906B	
		Rev. Date	2009-07-10	
		Rev.	NM8084-CS03	3/5

SAW Bandpass Filter 252906B







6. Typical Performance (at +25°C)



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	252906B	
Rev. Date	2009-07-10	
Rev.	NM8084-CS03	4/5

SAW Bandpass Filter 252906B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No. 252906B

Rev. Date 2009-07-10

Rev. NM8084-CS03 5/5