


SAW Bandpass Filter 272654B



1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- SMD Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : S1365

Dimensions shown are nominal in millimeters

Body : Al₂O₃

Lid : Kovar, Ni Plated

Termination : Au plating 0.3 ~ 1.0um, over a 1.27 ~ 8.89um Ni Plating

Pin Configuration	
11	Input
5	Output
6, 12	Ground
Other	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	272654B	
		Rev. Date	2009-04-15	
		Rev.	NM9018-CS01	1/5

SAW Bandpass Filter 272654B



3. Specifications

Fo = 70.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

Room temperature range : +25°C		Minimum	Typical	Maximum
Center Frequency (Fc)	MHz	-	70.0	-
Insertion Loss	dB	-	29.5	31.0
1dB Bandwidth	MHz	-	26.13	-
3dB Bandwidth	MHz	26.4	26.5	-
40dB Bandwidth	MHz	-	28.35	28.5
Amplitude Ripple (Fo +/- 12.65 MHz)	dB	-	0.55	1.0
Group Delay Variation (Fo +/- 12.65 MHz)	nsec	-	35	80
Absolute Delay	usec	-	1.66	-
Ultimate Rejection	dB	40	45	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	272654B	
		Rev. Date	2009-04-15	
		Rev.	NM9018-CS01	2/5

SAW Bandpass Filter 272654B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



L1 = 220nH, L2 = 180nH

C1 = 10pF

5. Marking Configuration

ITF¹⁾ 08A001²⁾

272654B³⁾

70⁴⁾ -26.1⁵⁾

●⁶⁾

1) Manufacturer name


2) Lot Number

3) Part Number

4) Center frequency

5) 1dB-Bandwidth



6) Pad No.1 Index

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	272654B	
		Rev. Date	2009-04-15	
		Rev.	NM9018-CS01	3/5

SAW Bandpass Filter 272654B







6. Typical Performance(at +25°C)



	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	272654B	
		Rev. Date	2009-04-15	
		Rev.	NM9018-CS01	4/5

SAW Bandpass Filter 272654B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	272654B	
Rev. Date	2009-04-15	
Rev.	NM9018-CS01	5/5