


SAW Bandpass Filter 201518B



1. Features

- IF bandpass filter
- High attenuation
- Single-ended operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : D2012

Dimensions shown are nominal in millimeters
 Base : Fe(SPCC), Au plating over Ni plated
 Cap : Cu & Cr Alloy, Ni Plated
 Termination : Kovar, Au Plated

Pin Configuration	
1	Input
4	Output
2, 5	Ground
Other	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	201518B	
		Rev. Date	2004-03-31	
		Rev.	NW3019-CS02	1/5

SAW Bandpass Filter 201518B



3. Specifications

Fo = 160.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	-	160.0	-
Insertion Loss	dB	-	24.0	25.5
1dB Bandwidth	MHz	-	4.2	-
3dB Bandwidth	MHz	4.3	4.45	-
40dB Bandwidth	MHz	-	5.60	5.80
Amplitude Ripple (Fo +/- 1.92 MHz)	dB	-	0.6	1.0
Group Delay Variation (Fo +/- 1.92 MHz)	nsec	-	100	200
Absolute Delay	usec	-	2.5	-
Ultimate Rejection	dB	45	50	-
Temperature Coefficient of Frequency	ppm/°C ²	-	-0.03	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	201518B	
		Rev. Date	2004-03-31	
		Rev.	NW3019-CS02	2/5

SAW Bandpass Filter 201518B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



L1 = 82 nH, L4 = 82 nH
L2 = 180 nH L3 = 180 nH

5. Marking Configuration

ITF¹⁾04A001²⁾
201518B³⁾



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	201518B	
		Rev. Date	2004-03-31	
		Rev.	NW3019-CS02	3/5

SAW Bandpass Filter 201518B



6. Typical Performance (at +25°C)







ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No. 201518B

Rev. Date 2004-03-31

Rev. NW3019-CS02 4/5

SAW Bandpass Filter 201518B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	201518B	
Rev. Date	2004-03-31	
Rev.	NW3019-CS02	5/5