


# SAW Bandpass Filter 271201B



## 1. Features

- IF bandpass filter
- High attenuation
- Single-ended operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

## 2. Package Dimension



### Package : D3512

Dimensions shown are nominal in millimeters  
 Base : Fe(SPCC), Au plating over Ni plated  
 Cap : Cu & Cr Alloy, Ni Plated  
 Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271201B	
		Rev. Date	2004-04-26	
		Rev.	NM3028-CS03	1/6

# SAW Bandpass Filter 271201B



## 3. Specifications

Fo = 70.0 MHz

Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	-	70.0	-
Insertion Loss	dB	-	24.5	26.0
3dB Bandwidth	MHz	12.9	12.93	13.1
40dB Bandwidth	MHz	-	13.7	14.0
Amplitude Ripple (Fo +/- 6.2 MHz)	dB	-	0.8	1.0
Group Delay Variation (Fo +/- 6.2 MHz)	nsec	-	50	150
Relative Attenuation				
30.000 to 62.935 MHz	dB	48	50	-
62.935 to 63.135 MHz	dB	38	42	-
76.865 to 77.065 MHz	dB	38	42	-
77.065 to 100.00 MHz	dB	48	50	-
Absolute Delay	nsec	-	3.43	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

### Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271201B	
		Rev. Date	2004-04-26	
		Rev.	NM3028-CS03	2/6

# SAW Bandpass Filter 271201B



## 4. Matching Schematic


( Actual matching values may vary due to PCB layout and parasitics )



## 5. Marking Configuration

ITF<sup>1)</sup>04A001<sup>2)</sup>  
271201B<sup>3)</sup>



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

 Integrated Technology Future	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271201B	
		Rev. Date	2004-04-26	
		Rev.	NM3028-CS03	3/6

# SAW Bandpass Filter 271201B



## 6. Typical Performance ( at +25°C )







**ITF Co., Ltd.**  
102-901, Bucheon Technopark 364,  
Samjeong-Dong, Ojeong-Gu, Bucheon-City,  
Gyeonggi-Do, Korea 421-809

Part No. 271201B

Rev. Date 2004-04-26

Rev. NM3028-CS03 4/6



# SAW Bandpass Filter 271201B



**ITF Co., Ltd.**  
 102-901, Bucheon Technopark 364,  
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,  
 Gyeonggi-Do, Korea 421-809

Part No.	271201B	
Rev. Date	2004-04-26	
Rev.	NM3028-CS03	5/6

# SAW Bandpass Filter 271201B



**ITF Co., Ltd.**  
 102-901, Bucheon Technopark 364,  
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,  
 Gyeonggi-Do, Korea 421-809

Part No.	271201B	
Rev. Date	2004-04-26	
Rev.	NM3028-CS03	6/6